

Exceptional experience by design.

LATITUDE 3000 SERIES 3480





Reliability and performance

Quality components inside and increased performance with the latest Intel® 7th generation Core i processors



Next level in connectivity

Experience mobile freedom like never before with optional 4G/LTE complimenting wireless options you already enjoy.



Easy access

Easily sign on by activating Windows Hello via optional touch fingerprint reader or optional Dell infrared camera



Security at its best

Reduce malware threats up to 50% with the Dell Data Protection endpoint suite.

Features & Technical Specifications

Model Number ¹	Latitude 3480	Latitude 3480
Feature	Technical Specification (Skylake - 6th Generation Intel®)	Technical Specification (Kaby Lake - 7th Generation Intel®)
Processor Options ¹	6th Gen Intel® Core Processors, U Dual Core	7th Gen Intel® Core Processors, U Dual Core
Operating System ¹	Microsoft® Windows® 10 Home 64 bit Microsoft® Windows® 10 Professional 64 bit Microsoft® Windows® 10 National Academic 64-bit (Bid Desk) Non-Volume License Windows 10 Pro to Windows 7 Pro 64 bit Image through Dell Configuration Services (select languages) Microsoft® Windows® 7 Professional 64 bit, (available through downgrade rights from Windows® 10 Pro License) Microsoft® Windows® 7 Professional 64 bit, Volume License Agreement only (available through downgrade rights from Windows® 10 Pro License, MS Volume License Agreement customers only) Microsoft® Windows® 7 Professional 32 bit, select languages, (available through downgrade rights from Windows® 10 Pro License) Microsoft® Windows® 8.1 Professional 64 bit, (available through downgrade rights from Windows® 10 Pro License only through Dell Configuration Services) Ubuntu 16.04 LTS 64-bit NeoKylin 6.0 64 bit	Microsoft® Windows® 10 Home 64 bit Microsoft® Windows® 10 Professional 64 bit Microsoft® Windows® 10 National Academic 64-bit (Bid Desk) Ubuntu 16.04 LTS 64-bit NeoKylin 6.0 64 bit
Memory Options ^{1,2,3,14}	DDR4 2400 MHz running at 2133 MHz; 2 slots supporting up to 16GB	DDR4 2400 MHz running at 2133 MHz; 2 slots supporting up to 16GB
Chipset ¹	Integrated with the Processor	Integrated with the Processor
Intel Responsiveness Technologies ^{1,6}	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
Graphics ^{1,13}	Intel [®] Integrated HD Graphics (Celeron) Intel [®] Integrated HD Graphics 520 AMD Radeon™ R5 M430	Intel [®] Integrated HD Graphics (Celeron) Intel [®] Integrated HD Graphics 620 AMD Radeon™ R5 M430
Display ¹	14.0" HD (1366 x 768) Anti-glare (16:9) WLED, 200 nits 14.0" FHD (1920 x 1080) Anti-glare (16:9) WLED, 220 nits 14.0" HD (1366 x 768) LED Backlit On-cell Touch Display with Truelife	14.0" HD (1366 x 768) Anti-glare (16:9) WLED, 200 nits 14.0" FHD (1920 x 1080) Anti-glare (16:9) WLED, 220 nits 14.0" HD (1366 x 768) LED Backlit On-cell Touch Display with Truelife
Storage Options ^{1,3}	HDD Options: 2.5" 7mm 500GB 7200RPM, 2.5" 7mm 1TB 5400RPM (India & S.E. Asia only) SSD M.2 2280 SATA options: 128GB, 256GB (via carrier) SSD M.2 2242 SATA options: 32GB Cache (in WWAN slot), 64GB Cache (via carrier) Dell Fast Response Free Fall Sensor and HDD Isolation (standard feature)	HDD Options: 2.5" 7mm 500GB 7200RPM, 2.5" 7mm 1TB 5400RPM (India & S.E. Asia only) SSD M.2 2280 SATA options: 128GB, 256GB (via carrier) SSD M.2 2242 SATA options: 32GB Cache (in WWAN slot), 64GB Cache (via carrier) Dell Fast Response Free Fall Sensor and HDD Isolation (standard feature)

Technical Specification (Skylake - 6th **Technical Specification (Kaby Lake - 7th Feature** Generation Intel®) Generation Intel®) TPM 2.0 FIPS 140-2 Certified, TCG Certified Security¹ (Windows® 10 only) (Windows® 10 only) TCG Certified/FIPS 140-2 TPM 1.2 (Win 7, 8.1. Field upgradable to TPM 2.0 with Windows® 10) Optional Touch Fingerprint Reader Optional Touch Fingerprint Reader Optional Computrace5 Optional Computrace⁵ **Dell Client Command Suite Dell Client Command Suite** Optional Dell Data Security and Management Software Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Data Guardian Dell Encryption (Enterprise or Personal) **Dell Threat Defense Dell Threat Defense Dell Protected Workspace Dell Protected Workspace** MozyPro®, MozyEnterprise® MozyPro®, MozyEnterprise® RSA NetWitness® Endpoint RSA NetWitness® Endpoint VMware Airwatch® VMware Airwatch® RSA SecurID Access RSA SecurID Access Absolute Data & Device Security Absolute Data & Device Security Docking¹ USB 3.1 Gen 1 Docking Only (optional, sold separately) separately) External Options Only External Options Only **Optical Drive Options** Multimedia¹ Integrated High Quality Speakers Integrated High Quality Speakers Universal Headphone Jack Universal Headphone Jack Integrated digital array microphone Integrated Infra-Red HD video webcam supporting Windows Hello Ready with Facial Recognition (included with Touch systems) Integrated HD video webcam (included with non-Touch systems) Touch systems) Battery Options¹ 42 Whr ExpressCharge Capable (Prismastic) 56 Whr ExpressCharge Capable (Prismatic) Power Options¹ E4 65W adapter, 7.4mm barrel E4 65W adapter, 7.4mm barrel E5 65W Rugged adapter, 7.4mm barrel (available for India only) for India only) Connectivity 10/100/1000 Ethernet 10/100/1000 Ethernet Options^{1,12} Wireless LAN Options: Wireless LAN Options: Qualcomm QCA9377 802.11ac Dual Band (1x1) Qualcomm QCA9377 802.11ac Dual Band (1x1) Wireless Adapter+ Bluetooth 4.1 Wireless Adapter+ Bluetooth 4.1 Qualcomm QCA61x4A 802.11ac Dual Band (2x2)

Wireless Adapter+ Bluetooth 4.1

Intel® Dual-Band Wireless-AC 8265 Wi-Fi + BT 4.2 (limited to 4.1 by Windows OS) Wireless

Card (2x2)

Optional Mobile Broadband Options: 7,8

Qualcomm[®] Snapdragon™ X7 LTE-A (DW5811e) for AT&T, Verizon & Sprint, US. (not available with

SKL CPUs or KBL CEL CPU)

Qualcomm[®] Snapdragon™ X7 LTE-A (DW5811e) (EMEA/APJ/ROW) (not available with SKL CPUs

or KBL CEL CPU)

Qualcomm[®] Snapdragon™ X7 HSPA+

(DW5811e) (China/Indonesia/india) (not available

with SKL CPUs or KBL CEL CPU)

TPM 2.0 FIPS 140-2 Certified, TCG Certified

TCG Certified/FIPS 140-2 TPM 1.2 (Win 7, 8.1. Field upgradable to TPM 2.0 with Windows® 10)

Optional Dell Data Security and Management

Dell Endpoint Security Suite Enterprise

Dell Encryption (Enterprise or Personal)

USB 3.1 Gen 1 Docking Only (optional, sold

Integrated digital array microphone Integrated Infra-Red HD video webcam supporting Windows Hello Ready with Facial Recognition (included with Touch systems) Integrated HD video webcam (included with non-

42 Whr ExpressCharge Capable (Prismastic) 56 Whr ExpressCharge Capable (Prismatic)

E5 65W Rugged adapter, 7.4mm barrel (available

Qualcomm QCA61x4A 802.11ac Dual Band (2x2)

Wireless Adapter+ Bluetooth 4.1

Intel® Dual-Band Wireless-AC 8265 Wi-Fi + BT 4.2 (limited to 4.1 by Windows OS) Wireless Card (2x2)

Optional Mobile Broadband Options: 7,8

Qualcomm[®] Snapdragon[™] X7 LTE-A (DW5811e) for AT&T, Verizon & Sprint, US. (not available with

SKL CPUs or KBL CEL CPU)

Qualcomm[®] Snapdragon[™] X7 LTE-A (DW5811e) (EMEA/APJ/ROW) (not available with SKL CPUs

or KBL CEL CPU)

Qualcomm[®] Snapdragon™ X7 HSPA+

(DW5811e) (China/Indonesia/india) (not available

with SKL CPUs or KBL CEL CPU)

Feature	Technical Specification (Skylake - 6th Generation Intel®)	Technical Specification (Kaby Lake - 7th Generation Intel®)
Ports, Slots & Chassis¹	1 USB 2.0, 2 USB 3.1 Gen 1 (one with PowerShare), HDMI 1.4, VGA RJ-45, external uSIM card tray option SD 3.0 Memory card reader Universal Jack (global headset jack + mic phone in + line in support) Optional Touch Fingerprint Reader Noble Wedge Lock slot	1 USB 2.0, 2 USB 3.1 Gen 1 (one with PowerShare), HDMI 1.4, VGA RJ-45, external uSIM card tray option SD 3.0 Memory card reader Universal Jack (global headset jack + mic phone in + line in support) Optional Touch Fingerprint Reader Noble Wedge Lock slot
Dimensions & Weight ^{1,13}	Width: 13.3" / 337.4mm Height (front): 0.92" / 23.3mm Depth: 9.6" / 244.0mm Starting weight: 3.89 lbs. / 1.76 kg (42Whr battery, M.2 SSD, HD touch, 1x4GB, UMA, no FPR, non-backlit KB, no WWAN)	Width: 13.3" / 337.4mm Height (front): 0.92" / 23.3mm Depth: 9.6" / 244.0mm Starting weight: 3.89 lbs. / 1.76 kg (42Whr battery, M.2 SSD, HD touch, 1x4GB, UMA, no FPR, non-backlit KB, no WWAN)
Regulatory and Environmental Compliance ¹	Regulatory Model: P79G Regulatory Type: P79G001 ENERGY STAR 6.1 ¹ EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net No TAA configurations available	Regulatory Model: P79G Regulatory Type: P79G001 ENERGY STAR 6.1 ¹ EPEAT Gold Registered. For specific country participation and rating, please see www.epeat.net No TAA configurations available
Input ¹	Single Pointing, non backlit w/Precision compliant Clickpad Touchpad (no buttons) Single Pointing, backlit w/Precision compliant Clickpad Touchpad (no buttons)	Single Pointing, non backlit w/Precision compliant Clickpad Touchpad (no buttons) Single Pointing, backlit w/Precision compliant Clickpad Touchpad (no buttons)
Systems Management ¹	Dell Client Command Suite available (dell. com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager	Dell Client Command Suite available (dell. com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager
Warranty and Service ¹	Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹⁰ optional 2, 3, 4 and 5 year hardware warranty extensions and 2-5 year Dell ProSupport contracts available ¹⁰	Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹⁰ optional 2, 3, 4 and 5 year hardware warranty extensions and 2-5 year Dell ProSupport contracts available ¹⁰
Peripheral Ecosystem¹	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Dual Video USB 3.1 Gen 1 Docking Station D1000, Dell Multimedia Keyboard KB216, Dell Wireless Mouse WM126, Dell Power Companion (18000mAh) PW7015L, Dell Urban Briefcases and Backpacks, Dell 24" (E2417H) & 22" (E2216H) Monitors, Dell Pro Stereo Headset	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Dual Video USB 3.1 Gen 1 Docking Station D1000, Dell Multimedia Keyboard KB216, Dell Wireless Mouse WM126, Dell Power Companion (18000mAh) PW7015L, Dell Urban Briefcases and Backpacks, Dell 24" (E2417H) & 22" (E2216H) Monitors, Dell Pro Stereo Headset

 $^{\rm 2}\,{\rm A}$ 64-bit operating system is required to support 4GB or more of system memory.

(UC350 SfB enabled) and Dell Legacy Adapter

⁸ Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.

(LD17-serial/parellel connectivity)

(UC350 SfB enabled) and Dell Legacy Adapter

(LD17-serial/parellel connectivity)

¹⁰ Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.

¹ Offering may vary by country and by configuration

³ GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

⁴Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty

⁵ Computrace Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.

⁶ Intel Rapid Storage Technology requires a HDD, mSATA or an SSD, as primary storage device and Windows OS required

⁷ Wireless antenna available only at time of system purchase

Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

¹¹ GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.

¹² Miracast Wireless Technology: Requires a compatible media adapter (sold separately) and an HDMI-enabled display.

¹³ Weights vary depending on configuration and manufacturing variability.

¹⁴ Intel 6th Gen and 7th Gen Core 15W (U) CPUs support 2133MHz memory

Essential Accessories

LATITUDE 3000 SERIES 3480

Purpose-built ecosystem: Latitude 14/15 3000

Powerful accessories designed and tested for free small and growing business users to achieve essential productivity on the go or at their desk.



Dell Dual Video USB 3.0 Docking Station D1000



Dell Multimedia Keyboard and mouse -KB216, WM126



Dell 24 Monitor | E2417H



Dell Portable Power Companion (18000 mAh) -PW7015L



Dell Pro Stereo Headset – UC350



Easy to carry Dell Urban backpack or briefcase.